Preliminary - For Review Only

NAVSEA STANDARD ITEM

FY-06

ITEM NO: 009-11

DATE: 29 JUL 2004
CATEGORY: II

1. SCOPE:

1.1 Title: Insulation and Lagging Requirements; accomplish

2. REFERENCES:

- 2.1 Standard Items
- 2.2 MIL-STD-769, Thermal Insulation Requirements for Machinery and Piping
- 2.3 804-5959212, Surface Ship Machinery Insulation Installation Details
- 2.4 804-5959214, Piping Insulation Installation Details
- 2.5 804-5773931, Insulation for Compartments, Acoustic and Thermal Installation Details
- 2.6 804-5773932, Insulation for Ducts, Acoustic and Thermal, Installation Details

2.7 46 CFR Part 164, Materials

2.8 4823-C-3160935, Fasteners for Insulation and Lagging

3. REQUIREMENTS:

- 3.1 Install new insulation, lagging, and reusable covers in accordance with 2.2 through 2.6, and the following:
- 3.1.1 Use of elastomeric foam conforming to MIL-P-15280 and polyphosphazene conforming to MIL-I-24703 is not permitted.
- 3.1.2 MIL-I-22344 insulation shall not be installed on hot piping above one-inch nominal pipe size (nps) and shall be installed only on piping with a vertical orientation or in low traffic areas.

1 of 3 ITEM NO: $\frac{009-11}{\text{FY}-06}$

Preliminary - For Review Only

- 3.1.3 Install Armstrong NH Armaflex, K-Flex ECO, or Electric Boat Corporation Specification No. 4013 Anti-Sweat and Refrigerant Insulation Systems (EB Spec. 4013) on anti-sweat and refrigeration systems that have an operating temperature range of minus 20 degrees to 180 degrees Fahrenheit.
- 3.1.3.1 Install with adhesive conforming to Armstrong 520 or Rubatex 373.
- 3.1.3.2 Install rewettable fibrous glass cloth lagging conforming to MIL-C-20079, Type I, Class 6 or 8, in high traffic areas. addition to the requirements of MIL-C-20079, rewettable lagging shall meet the requirements of Section 164.009-3 of 2.7, unless otherwise approved by NAVSEA.
- 3.1.4 Utilize Polyimide foam insulation conforming to DOD-I-24688 for piping and machinery systems other than systems listed in 3.1.2, and with a maximum operating temperature of 370 degrees Fahrenheit.
 - 3.1.5 Accomplish the requirements of 009-12 of 2.1.
- 3.1.6 Accomplish the requirements of 009-32 of 2.1 for surfaces to be insulated.
- 3.1.7 Secure reusable covers using snap fasteners or laced with copper, brass or soft steel galvanized wire through hooks or rings in accordance with 2.8
- 3.1.7.1 Stamp the surface of the lacing washers, piece 200 of 2.7, on the reusable cover with one quarter inch high letters, NO AB, located close to the outer edge of the washer and visible when the reusable cover is installed.
- 3.2 Accomplish the requirements of 009-32 of 2.1 for new insulation, lagging, and reusable covers to match surrounding areas.

4. NOTES:

4.1 Known source for EB Spec. 4013:

General Dynamics Company Dept. 447 Material Services

Attn: K. Hamler

75 Eastern Point Road Groton, CT 06340-4899

Tel: 860-433-2373

4.2 Known sources for rewettable fibrous glass cloth lagging:

2 of 3 ITEM NO: 009-11 FY-06

Preliminary - For Review Only

BGF Industries, Inc. 3802 Robert Porcher Way Greensboro, NC 27410 Tel: 800-925-1961

Alpha Associates Two Amboy Avenue Woodbridge, NJ 07095 Tel: 732-634-5700

3 of 3 ITEM NO: 009-11 FY-06